



BID EVALUATION REPORT OF PROCUREMENT OF NEW FIREWALL WITH TREAT PROTECTION LICENSE TENDER #13/2023-24

- PPRA Reference No. 212628T21052024985
1. Date and Time of Bid Closing: 06-06-2024 @ 11.00 A.M
 2. Date and Time of Bid Opening: 06-06-2024 @ 11.30 A.M
 3. No. of bids received: 02 (Two)
 4. Item: New Firewall With Treat Protection License

The tender opening was held on 06-06-2024 @ 11:30 A.M for New Firewall with Treat Protection License. Two (02) bidders participated in tendering process. The name of the bidders/firms is as under:

TECHNICAL EVALUATION REPORT OF PROCUREMENT OF NEW FIREWALL WITH TREAT PROTECTION LICENSE TENDER #13/2023-24

Bids received: 02

Firm Name: 1 M/S ORBIN Lahore 2. M/S Wateen Solutions Limited Multan

S. #	Description	Qty.	M/S ORBIN	M/S Wateen Solutions Limited
1	<p>PROCUREMENT OF NEW FIREWALL WITH THREAT PROTECTION LICENSE</p> <p>General Specification for Firewall</p> <ol style="list-style-type: none"> 1. GE RJ45 Interfaces: 16 or above 2. GE SFP Interfaces: 8 or above 3. 10G SFP Interfaces: 2 (include 2*10G Multimode transceivers) 4. Console Port : 1 5. Management ports: 2 6. Form factor: 1U or higher 7. Should have minimum 8 licenses of context/virtual switching system 8. IPv4 Firewall Throughput (1518/512/64 byte UDP): 27/27/11 Gbps or above 9. Firewall Throughput (Packet per Second): 36 Mpps or higher 10. Concurrent Sessions (TCP): at least 3 Million or above. 11. New Sessions/Sec: 270,000 or higher 12. Firewall Policies: 10,000 or higher 13. Application control Throughput 13 Gbps or above 14. Intrusion Prevention Throughput : 5 Gbps or 	01	<p>PROCUREMENT OF NEW FIREWALL WITH THREAT PROTECTION LICENSE</p> <p>Firewall</p> <ol style="list-style-type: none"> 1. GE RJ45 Interfaces: 16 or above 2. GE SFP Interfaces: 8 or above 3. 10G SFP Interfaces: 2 (include 2*10G Multimode transceivers) 4. Console Port : 1 5. Management ports: 2 6. Form factor: 1U or higher 7. Should have minimum 8 licenses of context/virtual switching system 8. IPv4 Firewall Throughput (1518/512/64-byte UDP): 27/27/11 Gbps or above 9. Firewall Throughput (Packet per Second): 36 Mpps or higher 10. Concurrent Sessions (TCP): at least 3 million or above. 11. New Sessions/Sec: 270,000 or higher 12. Firewall Policies: 10,000 or higher 13. Application control Throughput 13 Gbps or above 14. Intrusion Prevention Throughput: 5 Gbps or 	<p>PROCUREMENT OF NEW FIREWALL WITH THREAT PROTECTION LICENSE</p> <p>Firewall</p> <ol style="list-style-type: none"> 1. GE RJ45 Interfaces: 16 or above 2. GE SFP Interfaces: 8 or above 3. 10G SFP Interfaces: 2 (include 2*10G Multimode transceivers) 4. Console Port : 1 5. Management ports: 2 6. Form factor: 1U or higher 7. Should have minimum 8 licenses of context/virtual switching system 8. IPv4 Firewall Throughput (1518/512/64-byte UDP): 27/27/11 Gbps or above 9. Firewall Throughput (Packet per Second): 36 Mpps or higher 10. Concurrent Sessions (TCP): at least 3 million or above. 11. New Sessions/Sec: 270,000 or higher 12. Firewall Policies: 10,000 or higher 13. Application control Throughput 13 Gbps or above 14. Intrusion Prevention Throughput: 5 Gbps or above 15. IPsec VPN Throughput 13 Gbps or higher



S. #	Description	Qty.	M/S ORBIN	M/S Wateen Solutions Limited
	above 15. IPsec VPN Throughput 13 Gbps or higher 16. SSL-VPN throughput 2 Gbps or higher 17. Storage: 480GB or above 18. PTA Approved (PTA Approval to be acquired by the vendor) 19. 3 Years Standard Warranty with Universal Threat Protection Subscription. 20. Must have Dual power supply. 21. Firewall must include IPS, Advanced Malware Protection, Application Control, URL, DNS & Video Filtering, Antispam Service with annual subscription all the features must be in active mode. 22. Firewall must have static routing and OSPF routing protocol option. 23. Installation, configuration, commissioning and Testing 24. Firewall should be compatible with already deployed equipment and topology. 25. Cisco, Fortinet, or equivalent. Training and Fortinet Certification Training and Certification by Fortinet of Security for 2 personnel of GSCWU BWP.		above 15. IPsec VPN Throughput 13 Gbps or higher 16. SSL-VPN throughput 2 Gbps or higher 17. Storage: 480GB or above 18. PTA Approved (PTA Approval to be acquired by the vendor) 19. 3 Years Standard Warranty with Universal Threat Protection Subscription. 20. Must have Dual power supply. 21. Firewall must include IPS, Advanced Malware Protection, Application Control, URL, DNS & Video Filtering, Antispam Service with annual subscription all the features must be in active mode. 22. Firewall must have static routing and OSPF routing protocol option. 23. Installation, configuration, commissioning and Testing 24. Firewall should be compatible with already deployed equipment and topology. 25. Cisco, Fortinet, or equivalent. Training and Fortinet Certification Training and Certification by Fortinet of Security for 2 personnel of GSCWU BWP. Fortinet FG-201F FC-10-F201F-950-02-36	16. SSL-VPN throughput 2 Gbps or higher 17. Storage: 480GB or above 18. PTA Approved (PTA Approval to be acquired by the vendor) 19. 3 Years Standard Warranty with Universal Threat Protection Subscription. 20. Must have Dual power supply. 21. Firewall must include IPS, Advanced Malware Protection, Application Control, URL, DNS & Video Filtering, Antispam Service with annual subscription all the features must be in active mode. 22. Firewall must have static routing and OSPF routing protocol option. 23. Installation, configuration, commissioning and Testing 24. Firewall should be compatible with already deployed equipment and topology. 25. Cisco, Fortinet, or equivalent. Training and Fortinet Certification Training and Certification by Fortinet of Security for 2 personnel of GSCWU BWP. Fortinet FG-201F FC-10-F201F-950-02-36
STATUS			TECHNICALLY QUALIFIED	TECHNICALLY QUALIFIED

AFTER TECHNICAL EVALUATION; FINANCIAL BIDS WERE OPENED ON 24-06-2024 @ 11:00 A.M. IN THE OFFICE OF PURCHASE.

Firm Name Technical Qualified Bidders: 1 M/S ORBIN Lahore 2. M/S Wateen Solutions Limited Multan

Financial Evaluation:

S. #	Description	Qty.	M/S ORBIN	M/S Wateen Solutions Limited
1	PROCUREMENT OF NEW FIREWALL WITH THREAT PROTECTION LICENSE General Specification for Firewall 1. GE RJ45 Interfaces: 16 or above 2. GE SFP Interfaces: 8 or above 3. 10G SFP Interfaces: 2 (include 2*10G Multimode transceivers)	01	PROCUREMENT OF NEW FIREWALL WITH THREAT PROTECTION LICENSE Firewall 1. GE RJ45 Interfaces: 16 or above 2. GE SFP Interfaces: 8 or above 3. 10G SFP Interfaces: 2 (include 2*10G Multimode transceivers)	PROCUREMENT OF NEW FIREWALL WITH THREAT PROTECTION LICENSE Firewall 1. GE RJ45 Interfaces: 16 or above 2. GE SFP Interfaces: 8 or above 3. 10G SFP Interfaces: 2 (include 2*10G Multimode transceivers)



S. #	Description	Qty.	M/S ORBIN	M/S Wateen Solutions Limited
	<ol style="list-style-type: none">4. Console Port : 15. Management ports: 26. Form factor: 1U or higher7. Should have minimum 8 licenses of context/virtual switching system8. IPv4 Firewall Throughput (1518/512/64 byte UDP): 27/27/11 Gbps or above9. Firewall Throughput (Packet per Second): 36 Mpps or higher10. Concurrent Sessions (TCP): at least 3 Million or above.11. New Sessions/Sec: 270,000 or higher12. Firewall Policies: 10,000 or higher13. Application control Throughput 13 Gbps or above14. Intrusion Prevention Throughput : 5 Gbps or above15. IPsec VPN Throughput 13 Gbps or higher16. SSL-VPN throughput 2 Gbps or higher17. Storage: 480GB or above18. PTA Approved (PTA Approval to be acquired by the vendor)19. 3 Years Standard Warranty with Universal Threat Protection Subscription.20. Must have Dual power supply.21. Firewall must include IPS, Advanced Malware Protection, Application Control, URL, DNS & Video Filtering, Antispam Service with annual subscription all the features must be in active mode.22. Firewall must have static routing and OSPF routing protocol option.23. Installation, configuration, commissioning and Testing24. Firewall should be compatible with already		<ol style="list-style-type: none">4. Console Port : 15. Management ports: 26. Form factor: 1U or higher7. Should have minimum 8 licenses of context/virtual switching system8. IPv4 Firewall Throughput (1518/512/64-byte UDP): 27/27/11 Gbps or above9. Firewall Throughput (Packet per Second): 36 Mpps or higher10. Concurrent Sessions (TCP): at least 3 million or above.11. New Sessions/Sec: 270,000 or higher12. Firewall Policies: 10,000 or higher13. Application control Throughput 13 Gbps or above14. Intrusion Prevention Throughput: 5 Gbps or above15. IPsec VPN Throughput 13 Gbps or higher16. SSL-VPN throughput 2 Gbps or higher17. Storage: 480GB or above18. PTA Approved (PTA Approval to be acquired by the vendor)19. 3 Years Standard Warranty with Universal Threat Protection Subscription.20. Must have Dual power supply.21. Firewall must include IPS, Advanced Malware Protection, Application Control, URL, DNS & Video Filtering, Antispam Service with annual subscription all the features must be in active mode.22. Firewall must have static routing and OSPF routing protocol option.23. Installation, configuration, commissioning and Testing24. Firewall should be compatible with already	<ol style="list-style-type: none">4. Console Port : 15. Management ports: 26. Form factor: 1U or higher7. Should have minimum 8 licenses of context/virtual switching system8. IPv4 Firewall Throughput (1518/512/64-byte UDP): 27/27/11 Gbps or above9. Firewall Throughput (Packet per Second): 36 Mpps or higher10. Concurrent Sessions (TCP): at least 3 million or above.11. New Sessions/Sec: 270,000 or higher12. Firewall Policies: 10,000 or higher13. Application control Throughput 13 Gbps or above14. Intrusion Prevention Throughput: 5 Gbps or above15. IPsec VPN Throughput 13 Gbps or higher16. SSL-VPN throughput 2 Gbps or higher17. Storage: 480GB or above18. PTA Approved (PTA Approval to be acquired by the vendor)19. 3 Years Standard Warranty with Universal Threat Protection Subscription.20. Must have Dual power supply.21. Firewall must include IPS, Advanced Malware Protection, Application Control, URL, DNS & Video Filtering, Antispam Service with annual subscription all the features must be in active mode.22. Firewall must have static routing and OSPF routing protocol option.23. Installation, configuration, commissioning and Testing24. Firewall should be compatible with already deployed equipment and topology.



**The Government
Sadiq College Women
University Bahawalpur Pakistan**

S. #	Description	Qty.	M/S ORBIN	M/S Wateen Solutions Limited
	deployed equipment and topology. 25. Cisco, Fortinet, or equivalent. Training and Fortinet Certification Training and Certification by Fortinet of Security for 2 personnel of GSCWU BWP.		deployed equipment and topology. 25. Cisco, Fortinet, or equivalent. Training and Fortinet Certification Training and Certification by Fortinet of Security for 2 personnel of GSCWU BWP. Fortinet FG-201F FC-10-F201F-950-02-36	25. Cisco, Fortinet, or equivalent. Training and Fortinet Certification Training and Certification by Fortinet of Security for 2 personnel of GSCWU BWP. Fortinet FG-201F FC-10-F201F-950-02-36
TOTAL AMOUNT USD			Total Price USD =1890,842/-	Total Price USD =20,424/-
			Lowest Evaluated Bidder	


Treasurer