

Tender Quotation

Sr. #	Items	Quantity	Rate with all Taxes
A	Stationary Items		
1	Paper Rim (Legal Size 70g imported 500 sheets) PaperOne/Double A/Equivalent.	244	
2	Paper Rim (A 4 Size 70g 210*297mm imported 500 sheets) PaperOne/Double A/Equivalent.	132	
3	Paper Rim (AA 4 Size 80g) PaperOne/Double A/Equivalent.	76	
4	Pointer (Mercury Micro Black) Dollar/Piano/ Equivalent.	1124	
5	Pointer (Blue Mercury Micro) Dollar /Piano/ Equivalent.	840	
6	Pointer (Red) Dollar/Piano/Equivalent.	944	
7	File Covers (as per specimen)	2632	
8	File Covers with clip(Plastic)	112	
9	Board Markers (Blue & Black) Piano/Dollar/Equivalent.	640	
10	Common Pins	80	
11	Envelops (A4 size as per specimen)	1788	
12	Envelops (Small size as per specimen)	2564	
13	Envelops (Medium size as per specimen)	136	
14	Led Pencils (Gold Fish)Trika/Dollar/Equivalent.	680	
15	Stapler Pins(24/6) (Dollar/Opal/Equivalent)	248	
16	Staplers (Dollar/Opal/Equivalent)	100	
17	Gel Pen (Blue) (Piano/Dollar/Equivalent)	196	
18	Gel Pen (Black) (Piano/Dollar/Equivalent)	204	
19	Gel Pen (Green) (Piano/Dollar/Equivalent)	40	
20	Erasers (Bahadur/Pelikan/Equivalent)	304	
21	Highlighters (Mercury/Deer/Equivalent)	204	
22	Fluid/Correction Pen (Pelikan/Bahadur/Deli/Equivalent)	140	
23	Gum Sticks 35G	64	
24	Transparent Tape (Small Size)1/2 “/1” (Stick marker/Scotch/Equivalent)	32	
25	Transparent Tape (Large Size) (Stick marker/Scotch/Equivalent)	72	
26	Sticky Notes (3 sizes) (JinXin/Pelikan/Equivalent)	140	
27	Sharpeners (Piano/Dux/Equivalent)	128	
28	Scales (ORO/Dux/Equivalent)	124	
29	Thumb Pins (Deli/LuckyStar/Equivalent)	120	
30	Duster White Board	84	
31	Binder Clips 32mm (Deli/Acco/Equivalent)	68	
32	Binder Clips 41mm (Deli/Acco/Equivalent)	68	
33	Binder Clips 51mm (Deli/Acco/Equivalent)	68	
34	File Boxes (Large) Local	52	
35	File Boxes (Large) Imported	52	
36	File Trays (Plastic)	72	
37	Calculators (Casio/Citizen/Equivalent)	06	
38	USB 8 GB (Kingston/HP/Equivalent)	20	

39	Paper Cutter Metal	14	
40	Stamp Pad (Dollar/Crystal/Equivalent)	20	
41	Stamp Pad Ink (Dollar/Crystal/Equivalent)	20	
42	Punch Machine (Double Hole/Deli/Equivalent)	10	
43	Dak Folder Ragzeen (Small/ Medium/Large) Best Quality	192	
44	Gum Bottle (Large) (Nafees/Dollar/Equivalent)	16	
45	Pin Opener (Owner/KW/Opal/Equivalent)	28	
46	paper Clip (36mm 3 flower) (Picasso/Acco/Equivalent)	112	
47	Energy Saver (24W with warranty) (Philips/Haier/Equivalent)	100	
48	Energy Saver (45W with warranty) (Philips/Haier/Equivalent)	100	
49	Energy Saver (85W with warranty) (Philips/Haier/Equivalent)	100	
50	Extension Leeds (Camelion/Xiaomi/Equivalent)	36	
51	3 Shu (King/Bush/Equivalent)	100	
52	Dust Bin Plastic (Large) (Majestic/BigBrand/Equivalent)	64	
53	Tags (6 Inches)	100	
54	Locks (Original Medium & Large) (Tricircle/IHS/Chinamade/Equivalent)	96	
55	Glasses (Toyo/Crown/Equivalent)	48	
56	Acid/Sweap (Harpic/Domic/Equivalent)	136	
57	Soap (Lux/Safe Guard/Equivalent)	200	
58	Vim Powder (Max/Comfort/Equivalent)	292	
59	Finayl (Harpic/Domic/Equivalent)	112	
60	Tissue Boxes (Rose Petal/Tux/Equivalent)	164	
61	Duster Cloth(Yellow Duster/ Customize Flannel/Equivalent)	198	
62	Air Fresheners (Cobra/Airwick/Equivalent)	52	
63	Wiper (Cloth)	48	
64	Wiper (Rubber)	52	
65	Phool Jharoo	52	
66	Tissue Roll (Rose Petal/Tux/Equivalent)	28	
67	Towels (Medium Size) (Hi Charli/Utopia/Equivalent)	80	
68	Classified Cash Book Register	6	
69	Ball Point (Piano/Signature Blue/Equivalent)	92	
70	Stock register(3,4,7) (Venus/Koh-e-Noor/Equivalent)	96	
71	Simple register(5,6,7) (Venus/Koh-e-Noor/Equivalent)	24	
72	Dairy dispatch register(4,5,6) (Venus/Koh-e-Noor/Equivalent)	24	
73	Dispatch register(4,5,6) (Venus/Koh-e-Noor/Equivalent)	24	
74	Hand Wash (Dettol/ Safe Guard/Equivalent)	96	
75	Glass Cleaner (Glint/Klear/Equivalent)	48	
76	Moisturizing Soap (Dove/imperial Leather/Equivalent)	16	
77	Cell (Toshiba/Power-Plus/Equivalent) (3 sizes)	40	
78	Washing Powder (Surf-excel/Ariel/Equivalent)	64	

79	Bathroom cleaner(Harpic/Domic/Equivalent)	40	
----	---	----	--

Tender Quotation

B	IT Items	Quantity	Rate with all taxes
1	<p>Computer System (i7) HP/Dell or Equivalent CPU : Intel® Core™ i7-6700 (3.4 GHz, up to 4 GHz with Intel Turbo Boost) Processor Graphics : Intel HD Graphics 530 Cashe : 8 MB SmartCache Memory Specifications : Size Min 8GB, Type DDR4-2133 or better, Max # of Channels 2 Motherboard : Intel® H81 Chipset based motherboard or higher Storage : Min 500 GB SATA 3.0 with 7200 RPM or higher General : USB 3.0, Integrated Graphics, Integrated Audio, PCIe Networking : LAN 10/100/1000 Mbps and WLAN 300Mbps Optical Disk : Min 16x DVD/RW Additional : Full size Keyboard, Optical Mouse, VGA Cable, Powercables Warranty : 3 years Local Display : LED resolution Full HD 1920 x 1080 , Size 21.5" and Response time 5ms.</p>	40	
2	<p>Computer System (i5) HP/Dell or Equivalent CPU : Intel® Core™ i5-5th Generation (3.2 GHz or higher) Cashe : 6 MB cache Memory Specifications : Size Min 4GB, Type DDR3-1600 or better, Max # of Channels 2 Motherboard : Intel® H81 Chipset based motherboard or higher Storage : Min 500 GB SATA 3.0 with 7200 RPM or higher General : USB 3.0, Integrated Graphics, Integrated Audio, PCIe Networking : LAN 10/100/1000 Mbps Optical Disk : Min 16x DVD/RW Additional : Full size Keyboard, Optical Mouse, VGA Cable, Powercables Warranty : 1 years Local Display : LED resolution HD 1366 x 768 , Size 18.5" and Response time 5ms.</p>	24	
3	<p>Printer HP/Brother or Equivalent. Print speed black : Normal Up to 38 ppm First page out (ready): Black: As fast as 6.4 sec Print quality black (best) : FastRes 1200 Resolution technology : FastRes 1200, ProRes 1200, 600 dpi Duty cycle (monthly, A4) : Up to 80,000 pages Recommended monthly page volume : 750 to 4,000 Print technology : Laser Processor speed : 1200 MHz Display : 2-line backlit LCD graphic display</p>	24	
4	<p>Multi Media Dell/Optima or Equivalent. Computer Compatibility : FHD, HD, WXGA, UXGA, SXGA, XGA, SVGA, VGA, Mac Video Compatibility : PAL (B, D, G, H, I, M, N, 4.43MHz), NTSC (M, J, 3.58MHz, 4.443MHz), SECAM (B, D, G, K, K1, L, 4.25,MHz, 4.4MHz, 480i/p, 576i/p, 720p(50/60Hz),</p>	08	

	<p>1080i(50/60Hz) 1080p(24/50/60Hz)</p> <p>3D Support : Full 3D - The 3D features of Optoma projectors can only be used with compatible 3D content. Typical applications include use with 3D educational or 3D design and modelling systems. 3D TV broadcast systems, (SKY in the UK), Blu-ray 3D™ and 3D games from the Sony® PS3 or Microsoft® Xbox 360 are now supported as part of the HDMI v1.4a specification.</p> <p>3D Compatibility : Side-by-Side:1080i50 / 60, 720p50 / 60 Frame-pack: 1080p24, 720p50 / 60 Over-Under: 1080p24, 720p50 / 60</p> <p>Displayable Colours : 1073.4 Million, Noise Level (Eco mode) 29dB</p> <p>Power Supply : 100-240V, 50-60Hz Power Consumption 225W Bright mode / 187W Eco mode (< 0.5W Standby) Lamp Type 195W</p> <p>Operating Conditions : 5°C - 40°C, Max. Humidity 85%, Max. Altitude 3000m</p>		
	<p>Sound System:</p> <p>Mixer Power Amplifier Power Source : 220 – 240V AC or 24V DC Rated Output Power : 240W Input : MIC 1: -60dB*, 600 , electronically balanced, 5-P DIN type MIC 2, 3: -60dB*, 600 , electronically balanced, phone jack AUX 1, 2: -20dB*, 10k , unbalanced, RCA pin jack , Mute: Contact Pin 4 – 5 Closure input (for MIC 1) Output High impedance:42 (100V), 21 (70V) , Low Impedance: 4 (31V), Rec. out : 0dB*, 600 , unbalanced, RCA pin jack Power Consumption : 520W (AC operation at rated output), 5A (DC operation at rated output) Frequency Response : 50 – 20,000Hz (3dB) Distortion : Under 1% at 1kHz, 1/3 rated power Tone Control : Bass: 10dB at 100Hz/Treble: 10dB at 10kHz Muting : MIC 1: Mutes other input signals by 0 – 30dB attenuation Finish : Panel: ABS resin, black/Case: Steel plate, black</p> <p>Wall Mounted and Pendant speaker Enclosure Type : Two-way bass reflex Speaker Components 4.72”(12 cm) dynamic cone-type speaker 1”(2.5 cm) balanced dome tweeter Impedance/Power Tap : 70.7 V line:30 W (170 Ω),20 W (250 Ω), (screwdriver-adjustable rotary 15 W (330 Ω),10 W (500 Ω),5 W (1k Ω) switch) 100 V line:30 W (330 Ω),20 W (500 Ω), 15 W (670 Ω),10 W (1k Ω),5 W (2k Ω) Direct:8 Ω Sensitivity : 90 dB SPL (1 W/1 m,anechoic chamber) Power Handling Continuous Program: 90 W (8-ohm) Continuous Pink Noise (24 hrs.): 30 W (8-ohm) Transformer: 30 W (70.7 V,100 V line) Frequency Response : 80 – 20,000 Hz Crossover Frequency : 4 kHz Speaker Cable : 2-conductor cable Weather Resistance : Rating IP-X4 (Protected against water sprayed from all (IEC 60529) directions - limited ingress) Material / Finish : Enclosure ABS resin,black,acrylic paint, UV-resistant, Grille/Bracket Surface-treated steel plate, black,powder coating Operating Temperature : 14°F to 122°F (-10°C to +50°C)</p>	01	

	<p>Accessories (included) : Bracket x1, Bracket Mounting Screw x2, Bracket Mounting Washer x2</p> <p>Goosneck and Hand Microphone with Base</p> <p>Comprehensive E Performance</p> <p>Carrier frequency : UHF500-870MHz</p> <p>Frequency stabilization : less than ± 30ppm</p> <p>Dynamic range : more than 90dB</p> <p>Total harmonic distortion : less than $\pm 0.5\%$</p> <p>Frequency response : 40Hz-15KHz± 3dB</p> <p>Fixed receiver</p> <p>Power supply : AC220V/50Hz or 110V/60Hz</p> <p>Consume power : 3 Watt, Signal noise ratio: more than 50dB</p> <p>Image & spurious rejection : more than 80dB</p> <p>Border upon sensitivity : 10dBu V(SINAD=30dB)</p> <p>Handing transmitter</p> <p>Transmitter power : 30mW</p> <p>Modulation type : FM, F3F</p> <p>Mas deviation : ± 25KHz</p> <p>Spurious emission : more than 40Db (With carrier)</p> <p>Battery voltage: 9V/3V</p> <p>Continuous using: 6 Hours</p> <p>Wiring (Turn Key bases)</p> <p>Sound System Wiring and Installation</p>		
--	--	--	--

Tender Quotation

C		Quantity	Rate with all taxes
1	Batteries 220A (Osaka/AGS/Exide or Equivalent)	12	
2	UPS-2000W (Apollo/Annex/Equivalent)	12	

Tender Quotation

A	BOTANY LABORATORY EQUIPMENT	Quantity	Rate with all Taxes
a	Glassware		
1	Sieve 2 mm pore size Local/Pak/Equivalent (Iron/steel)	5 nos.	
2	Sieve 0.2 mm pore size Local/Pak/Equivalent (Iron/steel)	5 nos.	
3	Sieve 710 um pore size (best quality) Local/Pak/Equivalent (Iron/steel)	5 nos.	
4	Sieve 250 um pore size Local/Pak/Equivalent (Iron/steel)	5 nos.	
5	Sieve 125 um pore size Local/Pak/Equivalent (Iron/steel)	5 nos.	
6	Sieve 60 um pore size (Local/Pak/Equivalent (Iron/steel)	5 nos.	
7	Sieve 37um pore size Local/Pak/Equivalent (Iron/steel)	5 nos.	
8	Volvox slide + Material Glass Johannes Lieder/Wolverino/Equivalent	1 set	

9	Chara slide (Ger./USA) + Plant Glass Johannes Lieder/Wolverino/Equivalent	1 set	
10	Pinnularia slide + Plant Glass Johannes Lieder/Wolverino/Equivalent	1 set	
11	Voucharia slide + Plant Glass Johannes Lieder/Wolverino/Equivalent	1 set	
12	Laminaria slide + Plant Glass Johannes Lieder/Wolverino/Equivalent	1 set	
13	Polysiphonia slide + Plant Glass Johannes Lieder/Wolverino/Equivalent	1 set	
14	Plasmodiophora slide + Plant Glass Johannes Lieder/Wolverino/Equivalent	1 set	
15	Phythium slide + Plant Glass Johannes Lieder/Wolverino/Equivalent	1 set	
16	Penicilliums slide + Plant Glass Johannes Lieder/Wolverino/Equivalent	1 set	
17	Saccharomyces slide + Plant Glass Johannes Lieder/Wolverino/Equivalent	1 set	
18	Alternaria slide + Plant Glass Johannes Lieder/Wolverino/Equivalent	1 set	
19	Ustilago slide + Plant Glass Johannes Lieder/Wolverino/Equivalent	1 set	
20	Puccinia slide + Plant Glass Johannes Lieder/Wolverino/Equivalent	1 set	
21	Anthocedros slide + Plant Glass Johannes Lieder/Wolverino/Equivalent	1 set	
22	Porella slide + Plant Glass Johannes Lieder/Wolverino/Equivalent	1 set	
23	Polytrichum slide + Plant Glass Johannes Lieder/Wolverino/Equivalent	1 set	
24	Penicilliums slide + Plant Glass Johannes Lieder/Wolverino/Equivalent	1 set	
25	Psilotum slide + Plant Glass Johannes Lieder/Wolverino/Equivalent	1 set	
26	Selaginella slide + Plant Glass Johannes Lieder/Wolverino/Equivalent	1 set	
27	Equisetum slide + Plant Glass Johannes Lieder/Wolverino/Equivalent	1 set	
28	Adiantum slide + Plant Glass Johannes Lieder/Wolverino/Equivalent	1 set	
29	Marcilea slide + Plant Glass Johannes Lieder/Wolverino/Equivalent	1 set	
30	Polypodium slide + Plant Glass Johannes Lieder/Wolverino/Equivalent	1 set	
31	Cycus slide + Plant Glass Johannes Lieder/Wolverino/Equivalent	1 set	
32	Ephedra slide + Plant Glass Johannes Lieder/Wolverino/Equivalent	1 set	
33	Nostoc slide + Plant Glass Johannes Lieder/Wolverino/Equivalent	1 set	
34	Spirogyra slide + Plant Glass Johannes Lieder/Wolverino/Equivalent	1 set	
35	Prepared slide of Synchytrium enbioticum+ Plant Glass Johannes Lieder/Wolverino/Equivalent	1 set	
36	Prepared slide of Plasmodiophora Glass Johannes Lieder/Wolverino/Equivalent	1 set	
37	Prepared slide of Phyllactina Glass Johannes Lieder/Wolverino/Equivalent	1 set	

38	Prepared slide of Alternaria Glass Johannes Lieder/Wolverino/Equivalent	1 set	
39	Prepared slide of Capsilla Glass Johannes Lieder/Wolverino/Equivalent	1 set	
40	Prepared slide of Peziza Glass Johannes Lieder/Wolverino/Equivalent	1 set	
41	Prepared slide of root & shoot meristem Glass Johannes Lieder/Wolverino/Equivalent	1 set	
42	Prepared slide of Primary & Secondary tissues. Glass Johannes Lieder/Wolverino/Equivalent	1 set	
43	Prepared slide of Trachoma's. Glass Johannes Lieder/Wolverino/Equivalent	1 set	
44	Prepared slide of hairs, glands Glass Johannes Lieder/Wolverino/Equivalent	1 set	
45	Prepared slide of wood structure & Angiosperms Glass Johannes Lieder/Wolverino/Equivalent	1 set	
46	Prepared slide of wood structure of gymnosperms. Glass Johannes Lieder/Wolverino/Equivalent	1 set	
47	Prepared slide of Yeast. Glass Johannes Lieder/Wolverino/Equivalent	1 set	
48	Prepared slide of Laminaria. Glass Johannes Lieder/Wolverino/Equivalent	1 set	
b	Plastic		
49	Droppers Large size (Plastic) Local/Pak/Equivalent	20 nos.	
50	Eppendorf tubes stand Plastic Thermo Fischer Scientific/ Eppendorf / Equivalent	10 nos.	
51	Dropping bottle Plastic Local/Pak/Equivalent	10 nos.	
52	Tips micropipette 1000 ul Plastic (Blue) 1000 ul Thermo Fischer Scientific/ Eppendorf / Equivalent	10 nos.	
53	Tips micropipette (0.1 to 20ul) Plastic white (0.1 small tips Thermo Fischer Scientific / Equivalent)	20 nos.	
54	Tips micropipette Eppendorf Plastic For 10 to 100ul micropipette (yellow) Thermo Fischer Scientific/Equivalent	10 nos.	
55	Micro pipette Range (0.1ul to 20ul) Plastic Gilson/ Thermo Fischer Scientific / Equivalent	01 no.	
56	Micro pipette Range (20 ul to 100ul) Plastic Gilson/ Thermo Fischer Scientific / Equivalent	01 no.	
57	Para film Plastic Local/Pak/Equivalent	5 nos.	
58	Falcon tubes 50 ml Plastic Thermo Fischer Scientific/ Eppendorf / Equivalent	50 nos.	
59	Falcon tubes 15 ml Plastic Thermo Fischer Scientific/ Eppendorf / Equivalent	50 nos.	
60	Pestle mortar (medium size) Metallic Pak/Local/Equivalent	5 nos.	
c	Pyrex		
61	Filtering Flask	5 nos.	

	Pyrex German/ Pyrex UK / Equivalent		
62	Slide Glass Plane Pyrex German/ Pyrex UK / Equivalent	100 nos.	
63	Petri dishes 3 inch Pyrex German/ Pyrex UK/ Equivalent	50 pairs	
64	Petri dishes 4 inch, Pyrex German/ Pyrex UK / Equivalent	50 pairs	
65	Conical flask 1000 ml Pyrex German/ Pyrex UK or Equivalent	5 nos.	
66	Conical flask 500 ml Pyrex German/ Pyrex UK / Equivalent	10 nos.	
67	Conical flask 250 ml Pyrex German/ Pyrex UK / Equivalent	20 nos.	
68	Potometers with Cork Pyrex German/ Pyrex UK / Equivalent	20 nos.	
69	Beaker Glass 1000 ml Pyrex German/ Pyrex UK / Equivalent	10 nos.	
70	Beaker Glass 500 ml Pyrex German/ Pyrex UK / Equivalent	10 nos.	
71	Beaker Glass 250 ml Pyrex German/ Pyrex UK / Equivalent	10 nos.	
72	Sampling Flask Pyrex German/ Pyrex UK / Equivalent	5 nos.	
73	Staining bottle with Dropper Pyrex German/ Pyrex UK / Equivalent	20 nos.	
d	Metal		
74	Dissection box German /Pak/Equivalent (Metal)/Equivalent	5 nos.	
75	Aluminum foil Metallic Scotch Bright/Locals/ Equivalent	10 nos.	
e	Paper		
76	pH strip Merk/German/Equivalent	5 nos.	
f	Equipment		
77	Vortex Machine Korean/German/Equivalent	1 no.	
78	Stereomicroscope (dissecting microscope) Metallic 5X optical zoom coupled with Labomed Binocular microscope of 20 and 40X. Labomed/Focus/Equivalent	1 no.	
79	Microscope monocular Metallic Labomed/Focus/Equivalent	1 no.	

Terms and conditions:

1. Papers should be of best quality and gram as specified in tender the committee will not consider any sample attached by the vendor. In case of non-response or failure to supply the compatible part against faulty equipment within 48 hours, the GSCWU can get the similar equipment on rental basis till successful replacement of faulty item equipment. The supplier will be responsible to pay the rent on the equipment of the default part.
2. The material should be supplied up-to within 10 days after supply order in case you fail to supply the requisite material within delivery date, @ penalty at 1% of the total value of the supply order per day will be imposed
3. Items equipment shall be supplied strictly in accordance with specific make, design and specification /sample as per satisfaction of technical committee/purchase committee.

4. The requisite items will be accepted after inspection. In case, the equipment is not found according to the supply order these will be rejected and shall have to be removed or replaced by the firm immediately at his own expense. In case of failure to remove or replace the material, penal action will be taken by forfeiting your security deposited and you will be blacklisted and store shall be purchased at your risk expense.
5. In case of malfunction of any item supplied under this contract the supplier will have to provide compatible replacement within 48 hours.
6. The supplier is liable to pay all taxes /government dues.
7. Where the agreement is necessary, the firm will execute it subject to the terms & conditions of the university at stamp paper @0.25% of the total value of supply order within ten days of the receipt of supply order.
8. The payment of the bill will be made after the verification of end user.
9. The bill/invoice should be submitted with sales tax invoice, copy of NIC, delivery challan and two attached copies of tender fee. Computerized Sales Tax Invoice is not accepted. The sale tax invoice will be got verified by the Sales Tax Department.
10. Any matter other than provided in the agreement will be dealt with as per PPRA rules 2014.
11. In case of any dispute the decision of the Vice Chancellor will be final.
12. Inspection committee may visit the factory/manufacturing unit once during the process of manufacturing of furniture/fixture/items/store.